

Supertag[®] “Do it once - do it right; Quality tags save time and money”

MINISTRY APPROVED BOVINE IDENTIFICATION

99% Retention Rate - Fewer Lost Tags

High quality, microbe resistant and UV stabilised, the **Supertag** has a strong black, self piercing pin that is virtually bloodless. No more broken pins and fewer lost tags.

Click and they're fitted, no blood - no fuss. Self-Piercing and free-swinging; any dead tissue cut from the ear drops freely away ensuring no infection or irritation.

Able to rotate a full 360° out of trouble, independent tests show a 99% retention rate with ease of insertion and less pain or tearing with the unique “no needle” applicator.


More legible with clear printing, **Supertags** are laser etched deep into the plastic. All Ministry logos, farm codes and numbering are printed according to Ministry requirements and entered onto the National database.

For specific regional legislation visit; www.dalton.co.uk or www.dalton.ie

It's All in the Pin ; No Blood - No Fuss

This revolutionary and unique design ensures no snag application everytime. As the nylon pin withstands degradation, tags remain in place longer. Other tags, those with hollow shafts for needle applicators, can degrade and break after only a few years.

Solid



Actual Size



Large

Choose your combination

		Price per ear ▼
DT4-U	Large Primary Printed	1.10
DT3-U	Medium Primary Printed	0.92
DT0-U	Button Secondary Printed	0.84
DT1-U	I-Tag Button Printed & Encoded	1.65
DTM-U	Metaltag Printed	0.38
D-??	Replacement Tag, up to 5	4.05
D-75	Replacement Tag, 5 and over	2.75
		Price per animal ▼
DT44U	Large/Large Combination	1.75
DT44M	Large/Large Mngt. Combination	1.75
DT43U	Large/Medium Combination	1.59
DT43M	Large/Medium Mngt. Combination	1.59
DT40U	Large/Button Combination	1.40
DT41U	Large/I-Tag Combination	2.50
DT4MU	Large/Metaltag Combination	1.39
DT33U	Medium/Medium Combination	1.55
DT33M	Medium/Medium Mngt. Combination	1.55
DT30U	Medium/Button Combination	1.25
DT3IU	Medium/I-Tag Combination	2.45
DT3MU	Medium/Metaltag Combination	1.15
EPNBP	Bullet Point (Permanent Marker pen)	4.95
EPNFP	Fine Point (Permanent Marker pen)	3.95
SUP	Applicator (Supertag)	18.00
ITG	Applicator (I-Tag for Supertag)	18.00
MET	Applicator (Metaltag)	18.00
KET	Old Plier Conversion Insert	Free
	Minimum order quantity 25 tags	



Large
W60mm x H75mm



Medium
W55mm x H50mm



Metaltag
35mm when closed



Button
30mm diameter
Also available in
RFID version

I-Tag
RFID Button
30mm diameter



24 Hour Replacement Tags

If an animal loses its tag it must be replaced at the earliest opportunity. This is a simple process and all orders placed before 3.00pm are sent same day 1st class post under normal circumstances.

Guaranteed Next Day Delivery

When you need tags next day and it really has to be there the GND service makes sure. Orders are sent the same day when ordered before midday by special delivery, see page 29.

Management Printing

Secondary tags can be ordered with printing in one line to leave space for your own information to be written with indelible ink. Medium size primary tags may be used for smaller breeds such as Dexter & Jersey.



Supertag Applicator
Cast Aluminium



Lifetime
GUARANTEE



Ministry Approved

▶▶ **FREE**
Applicator with
First 100
Tags

Supertag[®] “Quality tags for effective management”.



Actual Sizes

99% Retention Rate - Fewer Lost Tags

Made from the highest quality Polyurethane with a unique Impact modified self-piercing pin. Once applied the **Supertag** swings freely and can rotate a full 360° out of trouble. A Flexible “No Snag” Tag with 6 sizes available in Male or Female, each size is fully interchangeable with the other. Male tags are normally applied to the back of the ear. Simply choose the combination you require.

U.V. Stabilised and Microbial resistant, **Supertags** come in 10 bright colours and can be supplied Blank for self-marking, Deep Hot Foil Stamped or Laser Marked as required. First developed for the Australian Livestock Market in 1984 the **Supertag** has rapidly become accepted as one of the most effective and unique methods of identification. It's easy to see why smart farmers choose the Dalton **Supertag** everytime.

Electronic Identification

Now also available in an RFID ISO Std electronic button female. Called **I-Tag[®]** this is a 134.2Khz WYSIWYG transponder. ICAR Approved and offering read range of > 2m using the **Philips[®]HiTag[®]** chip. See Electronic section for further details.



ORDER
CODE**Choose your combination**

	Management Supertag	
D5M	Maxi Male plain	0.60
D5F	Maxi Female plain	0.55
D4M	Large Male plain	0.45
D4F	Large Female plain	0.40
D3M	Medium Male plain	0.35
D3F	Medium Female plain	0.30
D2M	Hog Male plain	0.30
D2F	Hog Female plain	0.25
D1M	Small Male plain	0.20
D1F	Small Female plain	0.15
D0M	Button Male plain	0.20
D0F	Button Female plain	0.15
DTIF	I-Tag Button Female plain	1.35
PRT	Printing per side, add	0.10
EPNBP	Bullet Point (Permanent Marker pen)	4.95
EPNFP	Fine Point (Permanent Marker pen)	3.95
SUP	Applicator (Supertag)	18.00
	Minimum order quantity 25 tags	

Supertag Standard Colour Range



Size 5 - Maxi
W75mm x H115mm



Size 4 - Large
W60mm x H75mm



Size 3 - Medium
W55mm x H50mm



Size 2 - Hog
W55mm x H50mm



Size 1 - Small
W20mm x H45mm



Size 0 - Button
30mm diameter



Supertag Applicator
Cast Aluminium

Lifetime
GUARANTEE

Management Tags

▶▶ **FREE**
Applicator with
First 100
Tags



Neck Marker Straps

“Plastic Neck Marker Straps with Brass Buckles”.

Made from high quality EVA with deep hot foil embossing, the Dalton Neck Marker strap has been the choice for farm management since 1960. Fitted with a solid brass buckle and stiff retaining sleeves each strap stays in place and will not rotate around the neck when fitted correctly. For added visibility a Top piece can be factory fitted to provide front and rear high level identification. Re-use the brass buckles over and over again as Marker Straps can be purchased without buckles when required.



Nylon Webbing Collars

“Tough & strong for transponders & numbers”.

When something stronger is required or if a neck transponder needs to be fitted choose the Dalton Webbing Collar. Simple to fit, each can be numbered with the addition of a numbered plastic sleeve.

Available in two styles, Hot foil embossed or with the number moulded into the plastic for long-term identification. Moulded sleeves also feature wear prevention strips for concrete dairy parlours.



ORDER
CODE

Choose your combination

	Marker Strap	
CMM	with Buckle & Keepers, plain	2.95
CMO	excl. Brass Buckle & Keepers, plain	1.70
CM1	Printing per side, add	0.40
CMT	Top Piece, printed & fitted	0.90
BBK	Solid Brass Buckle	1.20
SPK	Keeper Sleeves, per pair	0.40
	Webbing Collar	
CNCTH	Thin Style	3.65
CNCWI	Thick Style	3.65
	Numbered Sleeves	
CNCS1	Single Digit Printed Sleeves	0.55
CNCD1	Double Digit Printed Sleeves	0.80
CNCS2	Single Digit Moulded No.Sleeves	0.60
CNCD2	Double Digit Moulded No.Sleeves	0.85
	Minimum order quantity 10	

ORDER
CODE

Choose your combination

	Ankle Strap	
CA0	plain	1.20
CA1	Printing, add	0.20
	NeckTag	
DD0	plain	0.65
DD1	Printing per side, add	0.10
CSR	Split Ring, Steel 28mm	0.30
EPNBP	Bullet Point (Permanent Marker)	4.95
EPNFP	Fine Point (Permanent Marker)	3.95
	Minimum order quantity 10	

**Moulded
No`d Sleeves**

(Available
in yellow only)

Ankle Straps

Ideal for Dairy Parlour Identification where a number can be applied to the ankle, often at eye level. Made from strong TPU and available in a range of 5 colours. Ankle straps are re-useable and can be taken on and off as required. Supplied plain for self-marking, hot foil embossed or laser printed.



Neck Tags



Made from quality TPU, easy to read and simple to apply with a steel split ring. Often used for goats and sheep as well as cattle the neck tag can be supplied plain for self-marking, hot foil embossed or laser printed.



No`d Sleeves

*Suitable for all nylon webbing collars up to 30mm wide. **Numbered sleeves** are available in two styles. Hot Foil Embossed or Moulded with the number all the way through. Ideal for all types of management numbering and suitable for transponder collars.*

Marker Strap, Ankle Strap & Neck Tag
Standard Colour Range



Management Tags

Suitable for all Livestock - Two Sizes

I-Tag® "Automated Electronic ID with Guaranteed Readability".


Encoded with the same number as printed on the outside*

Made from the high quality durable TPU the I-Tag is an ISO Standard 1178/11785 FDX-B 134.2Khz Electronic eartag. ICAR Approved and tested to PAS 44/2002 BSI. Each I-Tag has high retention and long read range.

* within ICAR Standard

Read Range up to 2m - Anti Collision

Available in both Tamperproof and Re-usable versions. Large 30mm Dia in Supertag version for cattle and 28 mm Dia in Suretag version for sheep, goats and pigs.



Lifetime I-Tag



Actual Size

What's inside?

Philips® Hi-Tag S Chip on Board. Welded to coil (Large Version pictured)

Thicker, high quality wound & heat formed Coated coil



Where Legislation requires that all livestock are individually numbered identification becomes harder to read, record and trace without the need for a large labour force.

Modern electronic identification provides the answer. An electronic transponder comprising of a chip and coil specifically tuned to 134.2Khz in ISO standard can be encoded with the animal and farm number as printed in visual form on the outside of the eartag. As an animal walks through a portal or gateway reader the number is read and recorded electronically. No need for additional labour and no costly errors saving time and money.

Suitable for all Livestock - Two Sizes

I-Tag® "Automated Electronic ID with Guaranteed Readability".


Encoded with the same number as printed on the outside*

Made from the high quality durable TPU the I-Tag is an ISO Standard 1178/11785 FDX-B 134.2Khz Electronic eartag. ICAR Approved and tested to PAS 44/2002 BSI. Each I-Tag has high retention and long read range.

* within ICAR Standard

Read Range up to 2m - Anti Collision

Available in both Tamperproof and Re-usable versions. Large 30mm Dia in Supertag version for cattle and 28 mm Dia in Suretag version for sheep, goats and pigs.



Lifetime I-Tag



Actual Size

What's inside?

Philips® Hi-Tag S Chip on Board. Welded to coil (Large Version pictured)

Thicker, high quality wound & heat formed Coated coil



Where Legislation requires that all livestock are individually numbered identification becomes harder to read, record and trace without the need for a large labour force.

Modern electronic identification provides the answer. An electronic transponder comprising of a chip and coil specifically tuned to 134.2Khz in ISO standard can be encoded with the animal and farm number as printed in visual form on the outside of the eartag. As an animal walks through a portal or gateway reader the number is read and recorded electronically. No need for additional labour and no costly errors saving time and money.

Suitable for all Livestock - Two Sizes

I-Tag® "Automated Electronic ID with Guaranteed Readability".


Encoded with the same number as printed on the outside*

Made from the high quality durable TPU the I-Tag is an ISO Standard 1178/11785 FDX-B 134.2Khz Electronic eartag. ICAR Approved and tested to PAS 44/2002 BSI. Each I-Tag has high retention and long read range.

* within ICAR Standard

Read Range up to 2m - Anti Collision

Available in both Tamperproof and Re-usable versions. Large 30mm Dia in Supertag version for cattle and 28 mm Dia in Suretag version for sheep, goats and pigs.



Lifetime I-Tag



Actual Size

What's inside?

Philips® Hi-Tag S Chip on Board. Welded to coil (Large Version pictured)

Thicker, high quality wound & heat formed Coated coil



Where Legislation requires that all livestock are individually numbered identification becomes harder to read, record and trace without the need for a large labour force.

Modern electronic identification provides the answer. An electronic transponder comprising of a chip and coil specifically tuned to 134.2Khz in ISO standard can be encoded with the animal and farm number as printed in visual form on the outside of the eartag. As an animal walks through a portal or gateway reader the number is read and recorded electronically. No need for additional labour and no costly errors saving time and money.

ORDER CODE

Choose your combination

		Price per ear ▼
DTIF	I-Tag for Supertags (cattle) Female Button, encoded, plain Management Supertag	1.33
D5M	Maxi male plain	0.60
D4M	Large Male plain	0.45
D3M	Medium Male plain	0.35
D2M	Hog Male plain	0.30
D1M	Small Male plain	0.20
D0M	Button Male plain	0.20
PRT	Printing per side, add	0.10
ITG	Applicator (Suretag)	18.00
	I-Tag for Suretag (Sheep & Pigs)	
S1F	Button female, encoded, plain Suretag ST1 / ST2	1.25
SDM	Button male, plain	0.10
SCM	Flag male, plain	0.12
PRT	Printing per side, add	0.04
SUT	Applicator (Suretag)	18.00
	Minimum order quantity 50 tags	

“For cattle combined with any size Supertag Male”.

Mix & Match for colour and visibility options

*The Large I-Tag is fitted using the unique **Supertag**, no needle applicator system.*

*Quick and simple to fit, combine the I-Tag female button with any size **Supertag Male** to provide the ideal solution of colour coding and visibility to suit your own requirements (see Page 4 & 5).*



I-Tag Cattle Version with Supertag Size 1


Actual Size

“For sheep, goats & pigs combined with any Suretag”.

Especially designed Lightweight solution

*The Small I-Tag is fitted using the **Suretag** system to provide the most lightweight solution.*

*Quick and simple to fit with the **Suretag** applicator. Combine the I-Tag female with either button or flag **Suretag** male as required (see page 12 & 19).*



Actual Size

I-Tag Sheep & Pig Version

I-Tag Standard Colour Range

